



**KAN-therm  
MULTISYSTEM**

**> 35** | years of experience  
on the installation  
market



**KAN-therm**

**Inox**

**NOBLE MATERIAL  
GIGA POSSIBILITIES**

Install the **future**

EN 25/04/1.1

Ø **12-168,3 mm**

# Table of contents

## SYSTEM **KAN-therm** Inox

|                   |           |
|-------------------|-----------|
| Pipes .....       | <b>3</b>  |
| Connectors .....  | <b>4</b>  |
| Accessories ..... | <b>17</b> |
| Tools .....       | <b>19</b> |

# SYSTEM KAN-therm Inox

## Pipes

### Stainless steel pipe 1.4404 - bar

GROUP: H

| Size [mm] | *   | Code       |  |  | UM |
|-----------|-----|------------|---|---|----|
| 12x1,0    | *** | 1629194065 | 6   | 1014  | m  |
| 15x1,0    |     | 1629194001 | 6   | 762   | m  |
| 18x1,0    |     | 1629194002 | 6   | 366   | m  |
| 22x1,2    |     | 1629194003 | 6   | 366   | m  |
| 28x1,2    |     | 1629194004 | 6   | 222   | m  |
| 35x1,5    |     | 1629194005 | 6   | 222   | m  |
| 42x1,5    |     | 1629194006 | 6   | 114   | m  |
| 54x1,5    |     | 1629194007 | 6   | 114   | m  |
| 76,1x2,0  |     | 1629194008 | 6   | 144   | m  |
| 88,9x2,0  |     | 1629194009 | 6   | 96  | m  |
| 108x2,0   |     | 1629194000 | 6   | 78  | m  |
| 139,7x2,0 | **  | 1629194035 | 6   | 60  | m  |
| 168,3x2,0 | **  | 1629194036 | 6   | 54  | m  |



**Note:**

Operating pressure depends on the type of transported medium, diameter range, type of pipes and tools used to make connections:

- 12-168,3 mm up to 16 bar (tools with jaws with M profile). Not applicable to compressed air systems - refer to the "Designer and Contractor Guidebook" for operating conditions.

### Stainless steel pipe 1.4521 - bar

GROUP: H

| Size [mm] | * | Code       |  |  | UM |
|-----------|---|------------|---|---|----|
| 15x1,0    |   | 1629194021 | 6   | 762   | m  |
| 18x1,0    |   | 1629194023 | 6   | 396   | m  |
| 22x1,2    |   | 1629194025 | 6   | 366   | m  |
| 28x1,2    |   | 1629194027 | 6   | 222   | m  |
| 35x1,5    |   | 1629194029 | 6   | 222   | m  |
| 42x1,5    |   | 1629194031 | 6   | 114   | m  |
| 54x1,5    |   | 1629194033 | 6   | 114   | m  |
| 76,1x2,0  |   | 1629194066 | 6   | 144   | m  |
| 88,9x2,0  |   | 1629194067 | 6   | 96  | m  |
| 108x2,0   |   | 1629194068 | 6   | 78  | m  |



**Note:**

Operating pressure depends on the type of transported medium, diameter range, type of pipes and tools used to make connections:

- 15-108 mm up to 16 bar (tools with jaws with M profile). Not applicable to compressed air systems - refer to the "Designer and Contractor Guidebook" for operating conditions.

 coil 
  bar 
  pipes in tube 
  bag 
  carton box 
  pallet 
  new 
  available soon

\* custom-made - lead time max 4 weeks | \*\* availability as agreed | \*\*\* while stock lasts

## Connectors



### Female connector



GROUP: G

| Size [mm]              | *   | Code       |  |  | UM  |
|------------------------|-----|------------|---|---|-----|
| 12 Rp $\frac{3}{8}$ "  | *** | 1609042026 | 10  | 50  | pc. |
| 12 Rp $\frac{1}{2}$ "  | *** | 1609042025 | 10  | 50  | pc. |
| 15 Rp $\frac{1}{2}$ "  |     | 1609042000 | 10  | 130   | pc. |
| 15 Rp $\frac{3}{4}$ "  |     | 1609042001 | 10  | 90  | pc. |
| 18 Rp $\frac{1}{2}$ "  |     | 1609042002 | 10  | 120   | pc. |
| 18 Rp $\frac{3}{4}$ "  |     | 1609042003 | 10  | 80  | pc. |
| 22 Rp $\frac{1}{2}$ "  |     | 1609042005 | 10  | 100   | pc. |
| 22 Rp $\frac{3}{4}$ "  |     | 1609042006 | 10  | 100   | pc. |
| 22 Rp1"                |     | 1609042004 | 10  | 60  | pc. |
| 28 Rp $\frac{1}{2}$ "  |     | 1609042027 | 10  | 40  | pc. |
| 28 Rp $\frac{3}{4}$ "  |     | 1609042009 | 10  | 40  | pc. |
| 28 Rp1"                |     | 1609042007 | 10  | 60  | pc. |
| 28 Rp1 $\frac{1}{4}$ " |     | 1609042008 | 10  | 30  | pc. |
| 35 Rp1"                |     | 1609042012 | 10  | 20  | pc. |
| 35 Rp1 $\frac{1}{4}$ " |     | 1609042011 | 10  | 30  | pc. |
| 35 Rp1 $\frac{1}{2}$ " |     | 1609042010 | 10  | 20  | pc. |
| 42 Rp1 $\frac{1}{4}$ " |     | 1609042014 | 4   | 12  | pc. |
| 42 Rp1 $\frac{1}{2}$ " |     | 1609042013 | 4   | 24  | pc. |
| 54 Rp1 $\frac{1}{2}$ " |     | 1609042015 | 1   | 12  | pc. |
| 54 Rp2"                |     | 1609042016 | 4   | 12  | pc. |



### Male connector

GROUP: G

| Size [mm]               | *   | Code       |  |  | UM  |
|-------------------------|-----|------------|---|---|-----|
| 12 R $\frac{3}{8}$ "    | *** | 1609045042 | 10  | 50  | pc. |
| 12 R $\frac{1}{2}$ "    | *** | 1609045041 | 10  | 50  | pc. |
| 15 R $\frac{1}{2}$ "    |     | 1609045004 | 10  | 200   | pc. |
| 15 R $\frac{3}{4}$ "    |     | 1609045005 | 10  | 80  | pc. |
| 18 R $\frac{1}{2}$ "    |     | 1609045006 | 10  | 160   | pc. |
| 18 R $\frac{3}{4}$ "    |     | 1609045007 | 10  | 100   | pc. |
| 22 R $\frac{1}{2}$ "    |     | 1609045009 | 10  | 70  | pc. |
| 22 R $\frac{3}{4}$ "    |     | 1609045010 | 10  | 100   | pc. |
| 22 R1"                  |     | 1609045008 | 10  | 60  | pc. |
| 28 R $\frac{3}{4}$ "    |     | 1609045013 | 10  | 50  | pc. |
| 28 R1"                  |     | 1609045012 | 10  | 60  | pc. |
| 28 R1 $\frac{1}{4}$ "   |     | 1609045011 | 10  | 30  | pc. |
| 35 R1"                  |     | 1609045015 | 10  | 40  | pc. |
| 35 R1 $\frac{1}{4}$ "   |     | 1609045016 | 5   | 40  | pc. |
| 35 R1 $\frac{1}{2}$ "   |     | 1609045014 | 10  | 20  | pc. |
| 42 R1 $\frac{1}{4}$ "   |     | 1609045018 | 4   | 12  | pc. |
| 42 R1 $\frac{1}{2}$ "   |     | 1609045017 | 4   | 24  | pc. |
| 54 R1 $\frac{1}{2}$ "   |     | 1609045019 | 4   | 16  | pc. |
| 54 R2"                  |     | 1609045020 | 4   | 12  | pc. |
| 76,1 R2 $\frac{1}{2}$ " |     | 1609045002 | 2   | 20  | pc. |
| 88,9 R3"                |     | 1609045003 | -   | 2   | pc. |

 coil 
  bar 
  pipes in tube 
  bag 
  carton box 
  pallet 
  new 
  available soon

\* custom-made - lead time max 4 weeks | \*\* availability as agreed | \*\*\* while stock lasts

## Coupling Inox/Groove


GROUP: G

| Size [mm] | * | Code       |  |  | UM  |
|-----------|---|------------|---|---|-----|
| 28 / 33,7 |   | 1609042030 | 10  | 30  | pc. |
| 35 / 42,4 |   | 1609042031 | 10  | 30  | pc. |
| 42 / 48,3 |   | 1609042032 | 5   | 20  | pc. |
| 54 / 60,3 |   | 1609042033 | 5   | 15  | pc. |
| 76,1      |   | 1609042034 | 1   | 30  | pc. |
| 88,9      |   | 1609042035 | 2   | 30  | pc. |
| 108 / 114 |   | 1609042028 | 1   | 10  | pc. |



## Female slip connector


GROUP: G

| Size [mm]             | * | Code       |  |  | UM  |
|-----------------------|---|------------|---|---|-----|
| 22 Rp $\frac{1}{2}$ " |   | 1609042037 | 10  | 60  | pc. |
| 22 Rp $\frac{3}{4}$ " |   | 1609042038 | 10  | 60  | pc. |
| 28 Rp $\frac{1}{2}$ " |   | 1609042039 | 10  | 40  | pc. |
| 28 Rp $\frac{3}{4}$ " |   | 1609042040 | 10  | 40  | pc. |



## Female union

GROUP: G

| Size [mm]              | * | Code       |  |  | UM  |
|------------------------|---|------------|---|---|-----|
| 15 Rp $\frac{1}{2}$ "  |   | 1609271000 | 2   | 60  | pc. |
| 15 Rp $\frac{3}{4}$ "  |   | 1609271001 | 2   | 40  | pc. |
| 18 Rp $\frac{1}{2}$ "  |   | 1609271002 | 2   | 40  | pc. |
| 18 Rp $\frac{3}{4}$ "  |   | 1609271003 | 2   | 40  | pc. |
| 22 Rp $\frac{3}{4}$ "  |   | 1609271010 | 2   | 40  | pc. |
| 22 Rp1"                |   | 1609271004 | 2   | 30  | pc. |
| 28 Rp1"                |   | 1609271011 | 2   | 26  | pc. |
| 35 Rp1 $\frac{1}{4}$ " |   | 1609271012 | 1   | 20  | pc. |
| 42 Rp1 $\frac{1}{2}$ " |   | 1609271013 | 2   | 8   | pc. |
| 54 Rp2"                |   | 1609271009 | 2   | 4   | pc. |



## Male union

GROUP: G

| Size [mm]             | * | Code       |  |  | UM  |
|-----------------------|---|------------|---|---|-----|
| 15 R $\frac{1}{2}$ "  |   | 1609272000 | 2   | 50  | pc. |
| 15 R $\frac{3}{4}$ "  |   | 1609272011 | 2   | 60  | pc. |
| 18 R $\frac{1}{2}$ "  |   | 1609272012 | 2   | 60  | pc. |
| 18 R $\frac{3}{4}$ "  |   | 1609272003 | 2   | 60  | pc. |
| 22 R $\frac{1}{2}$ "  |   | 1609272005 | 2   | 40  | pc. |
| 22 R $\frac{3}{4}$ "  |   | 1609272013 | 2   | 40  | pc. |
| 22 R1"                |   | 1609272004 | 2   | 30  | pc. |
| 28 R1"                |   | 1609272014 | 2   | 30  | pc. |
| 35 R1 $\frac{1}{4}$ " |   | 1609272015 | 2   | 16  | pc. |
| 42 R1 $\frac{1}{2}$ " |   | 1609272009 | 2   | 12  | pc. |
| 54 R2"                |   | 1609272016 | 2   | 4   | pc. |



 coil 
  bar 
  pipes in tube 
  bag 
  carton box 
  pallet 
  new 
  available soon

\* custom-made - lead time max 4 weeks | \*\* availability as agreed | \*\*\* while stock lasts



### Union

GROUP: G

| Size [mm] | * | Code       |   |    | UM  |
|-----------|---|------------|---|----|-----|
| 15        |   | 1609271021 | 2 | 50 | pc. |
| 18        |   | 1609271022 | 2 | 60 | pc. |
| 22        |   | 1609271023 | 2 | 40 | pc. |
| 28        |   | 1609271024 | 2 | 30 | pc. |
| 35        |   | 1609271025 | 1 | 16 | pc. |
| 42        |   | 1609271026 | 2 | 12 | pc. |
| 54        |   | 1609271027 | 2 | 4  | pc. |



### Female half union with flat sealing

GROUP: G

| Size [mm]             | * | Code       |    |     | UM  |
|-----------------------|---|------------|----|-----|-----|
| 15 G $\frac{3}{4}$ "  |   | 1609271014 | 10 | 120 | pc. |
| 18 G $\frac{3}{4}$ "  |   | 1609271015 | 10 | 100 | pc. |
| 22 G1"                |   | 1609271016 | 10 | 60  | pc. |
| 28 G1 $\frac{1}{4}$ " |   | 1609271017 | 10 | 40  | pc. |
| 35 G1 $\frac{1}{2}$ " |   | 1609271018 | 4  | 32  | pc. |
| 42 G1 $\frac{3}{4}$ " |   | 1609271019 | 4  | 12  | pc. |
| 54 G2 $\frac{3}{8}$ " |   | 1609271020 | 4  | 8   | pc. |



### Straight coupling

GROUP: G

| Size [mm] | *   | Code       |    |     | UM  |
|-----------|-----|------------|----|-----|-----|
| 12        | *** | 1609245002 | 10 | 70  | pc. |
| 15        |     | 1609245003 | 10 | 140 | pc. |
| 18        |     | 1609245004 | 10 | 140 | pc. |
| 22        |     | 1609245012 | 10 | 80  | pc. |
| 28        |     | 1609245013 | 10 | 60  | pc. |
| 35        |     | 1609245014 | 5  | 40  | pc. |
| 42        |     | 1609245015 | 4  | 24  | pc. |
| 54        |     | 1609245016 | 4  | 16  | pc. |
| 76,1      |     | 1609245010 | 4  | 24  | pc. |
| 88,9      |     | 1609245011 | 4  | 12  | pc. |
| 108       |     | 1609245000 | 2  | 10  | pc. |
| 139,7     | **  | 1609245017 | -  | 1   | pc. |
| 168,3     | **  | 1609245018 | 1  | 1   | pc. |



### Slip coupling

GROUP: G

| Size [mm] | * | Code       |    |     | UM  |
|-----------|---|------------|----|-----|-----|
| 15        |   | 1609080001 | 10 | 140 | pc. |
| 18        |   | 1609080002 | 10 | 100 | pc. |
| 22        |   | 1609080003 | 10 | 60  | pc. |
| 28        |   | 1609080004 | 10 | 40  | pc. |
| 35        |   | 1609080005 | 5  | 20  | pc. |
| 42        |   | 1609080010 | 4  | 16  | pc. |
| 54        |   | 1609080007 | 2  | 8   | pc. |
| 76,1      |   | 1609080008 | 2  | 6   | pc. |
| 88,9      |   | 1609080009 | 2  | 10  | pc. |
| 108       |   | 1609080000 | 2  | 4   | pc. |

coil 
 bar 
 pipes in tube 
 bag 
 carton box 
 pallet 
 new 
 available soon

\* custom-made - lead time max 4 weeks | \*\* availability as agreed | \*\*\* while stock lasts

## Elbow 90°

GROUP: G

| Size [mm] | *   | Code       |  |  | UM  |
|-----------|-----|------------|---|---|-----|
| 12        | *** | 1609068149 | 10  | 70  | pc. |
| 15        |     | 1609068150 | 10  | 150   | pc. |
| 18        |     | 1609068151 | 10  | 90  | pc. |
| 22        |     | 1609068152 | 10  | 60  | pc. |
| 28        |     | 1609068115 | 5   | 30  | pc. |
| 35        |     | 1609068153 | 5   | 20  | pc. |
| 42        |     | 1609068154 | 2   | 8   | pc. |
| 54        |     | 1609068155 | 2   | 8   | pc. |
| 76,1      |     | 1609068125 | 2   | 10  | pc. |
| 88,9      |     | 1609068128 | 2   | 8   | pc. |
| 108       |     | 1609068107 | 2   | 4   | pc. |
| 139,7     | **  | 1609068156 | 1   | 1   | pc. |
| 168,3     | **  | 1609068157 | 1   | 1   | pc. |



## Plain end elbow 90°

GROUP: G

| Size [mm]      | * | Code       |  |  | UM  |
|----------------|---|------------|---|---|-----|
| 15             |   | 1609068143 | 10  | 120   | pc. |
| 18             |   | 1609068144 | 10  | 60  | pc. |
| 22             |   | 1609068133 | 5   | 60  | pc. |
| 28             |   | 1609068145 | 5   | 30  | pc. |
| 35             |   | 1609068146 | 5   | 10  | pc. |
| 42             |   | 1609068147 | 2   | 8   | pc. |
| 54             |   | 1609068148 | 2   | 6   | pc. |
| 76,1           |   | 1609068139 | 2   | 10  | pc. |
| 88,9           |   | 1609068141 | 1   | 8   | pc. |
| 108            |   | 1609068130 | 2   | 4   | pc. |
| <b>N</b> 139,7 | * | 1609068194 | -   | 1   | pc. |
| <b>N</b> 168,3 | * | 1609068195 | -   | 1   | pc. |



## Elbow 45°

GROUP: G

| Size [mm] | *  | Code       |  |  | UM  |
|-----------|----|------------|---|---|-----|
| 15        |    | 1609068079 | 10  | 150   | pc. |
| 18        |    | 1609068080 | 10  | 120   | pc. |
| 22        |    | 1609068051 | 10  | 70  | pc. |
| 28        |    | 1609068052 | 10  | 40  | pc. |
| 35        |    | 1609068081 | 5   | 25  | pc. |
| 42        |    | 1609068082 | 2   | 16  | pc. |
| 54        |    | 1609068083 | 2   | 8   | pc. |
| 76,1      |    | 1609068057 | -   | 2   | pc. |
| 88,9      |    | 1609068059 | 2   | 8   | pc. |
| 108       |    | 1609068048 | 2   | 6   | pc. |
| 139,7     | ** | 1609068084 | -   | 1   | pc. |
| 168,3     | ** | 1609068085 | 1   | 1   | pc. |



 coil 
  bar 
  pipes in tube 
  bag 
  carton box 
  pallet 
 **N** new 
  available soon

\* custom-made - lead time max 4 weeks | \*\* availability as agreed | \*\*\* while stock lasts





### Plain end elbow 45°

GROUP: G

| Size [mm]      | * | Code       |    |     | UM  |
|----------------|---|------------|----|-----|-----|
| 15             |   | 1609068073 | 10 | 150 | pc. |
| 18             |   | 1609068074 | 10 | 120 | pc. |
| 22             |   | 1609068075 | 10 | 60  | pc. |
| 28             |   | 1609068076 | 10 | 40  | pc. |
| 35             |   | 1609068066 | 5  | 25  | pc. |
| 42             |   | 1609068077 | 4  | 16  | pc. |
| 54             |   | 1609068078 | 2  | 8   | pc. |
| 76,1           |   | 1609068070 | 2  | 12  | pc. |
| 88,9           |   | 1609068072 | 2  | -   | pc. |
| 108            |   | 1609068061 | 2  | 4   | pc. |
| <b>N</b> 139,7 | * | 1609068192 | -  | 1   | pc. |
| <b>N</b> 168,3 | * | 1609068193 | -  | 1   | pc. |



### Tee

GROUP: G

| Size [mm] | *   | Code       |    |    | UM  |
|-----------|-----|------------|----|----|-----|
| 12        | *** | 1609257045 | 10 | 60 | pc. |
| 15        |     | 1609257002 | 10 | 80 | pc. |
| 18        |     | 1609257046 | 10 | 40 | pc. |
| 22        |     | 1609257005 | 10 | 40 | pc. |
| 28        |     | 1609257047 | 5  | 25 | pc. |
| 35        |     | 1609257048 | 5  | 15 | pc. |
| 42        |     | 1609257049 | 4  | 8  | pc. |
| 54        |     | 1609257050 | 2  | 6  | pc. |
| 76,1      |     | 1609257010 | 2  | 8  | pc. |
| 88,9      |     | 1609257011 | 2  | 6  | pc. |
| 108       |     | 1609257000 | 2  | 2  | pc. |
| 139,7     | **  | 1609257001 | 1  | -  | pc. |
| 168,3     | **  | 1609257003 | 1  | -  | pc. |

coil 
 bar 
 pipes in tube 
 bag 
 carton box 
 pallet 
 **N** new 
 available soon



\* custom-made - lead time max 4 weeks | \*\* availability as agreed | \*\*\* while stock lasts



## Reducing tee

## GROUP: G



| Size [mm]             | *  | Code       |  |  | UM  |
|-----------------------|----|------------|---|---|-----|
| 18 / 15 / 18          |    | 1609260014 | 10  | 60  | pc. |
| 22 / 15 / 22          |    | 1609260046 | 10  | 50  | pc. |
| 22 / 18 / 22          |    | 1609260047 | 10  | 50  | pc. |
| 28 / 15 / 28          |    | 1609260048 | 5   | 30  | pc. |
| 28 / 18 / 28          |    | 1609260049 | 10  | 30  | pc. |
| 28 / 22 / 28          |    | 1609260050 | 5   | 30  | pc. |
| 35 / 15 / 35          |    | 1609260020 | 5   | 20  | pc. |
| 35 / 18 / 35          |    | 1609260021 | 5   | 20  | pc. |
| 35 / 22 / 35          |    | 1609260022 | 5   | 20  | pc. |
| 35 / 28 / 35          |    | 1609260051 | 5   | 20  | pc. |
| 42 / 22 / 42          |    | 1609260024 | 4   | 12  | pc. |
| 42 / 28 / 42          |    | 1609260052 | 4   | 12  | pc. |
| 42 / 35 / 42          |    | 1609260053 | 4   | 12  | pc. |
| 54 / 22 / 54          |    | 1609260054 | 2   | 8   | pc. |
| 54 / 28 / 54          |    | 1609260030 | 2   | 8   | pc. |
| 54 / 35 / 54          |    | 1609260055 | 2   | 8   | pc. |
| 54 / 42 / 54          |    | 1609260032 | 2   | 8   | pc. |
| 76,1 / 22 / 76,1      |    | 1609260035 | 2   | 12  | pc. |
| 76,1 / 28 / 76,1      |    | 1609260036 | 2   | -   | pc. |
| 76,1 / 35 / 76,1      |    | 1609260037 | 2   | 10  | pc. |
| 76,1 / 42 / 76,1      |    | 1609260038 | 2   | 12  | pc. |
| 76,1 / 54 / 76,1      |    | 1609260039 | 1   | 4   | pc. |
| 88,9 / 22 / 88,9      |    | 1609260040 | 2   | 10  | pc. |
| 88,9 / 28 / 88,9      |    | 1609260041 | 2   | -   | pc. |
| 88,9 / 35 / 88,9      |    | 1609260042 | -   | 2   | pc. |
| 88,9 / 42 / 88,9      |    | 1609260043 | 2   | 8   | pc. |
| 88,9 / 54 / 88,9      |    | 1609260044 | 2   | -   | pc. |
| 88,9 / 76,1 / 88,9    |    | 1609260045 | 2   | 2   | pc. |
| 108 / 22 / 108        |    | 1609260000 | 2   | -   | pc. |
| 108 / 28 / 108        |    | 1609260001 | 2   | 6   | pc. |
| 108 / 35 / 108        |    | 1609260002 | 2   | 6   | pc. |
| 108 / 42 / 108        |    | 1609260003 | -   | 2   | pc. |
| 108 / 54 / 108        |    | 1609260004 | 2   | -   | pc. |
| 108 / 76,1 / 108      |    | 1609260005 | 2   | -   | pc. |
| 108 / 88,9 / 108      |    | 1609260006 | 2   | -   | pc. |
| 139,7 / 76,1 / 139,7  | ** | 1609260008 | 1   | -   | pc. |
| 139,7 / 88,9 / 139,7  | ** | 1609260009 | 1   | 1   | pc. |
| 139,7 / 108 / 139,7   | ** | 1609260007 | 1   | 1   | pc. |
| 168,3 / 76,1 / 168,3  | ** | 1609260012 | 1   | 1   | pc. |
| 168,3 / 88,9 / 168,3  | ** | 1609260013 | 1   | 1   | pc. |
| 168,3 / 108 / 168,3   | ** | 1609260010 | 1   | 1   | pc. |
| 168,3 / 139,7 / 168,3 | ** | 1609260011 | 1   | 1   | pc. |

 coil 
  bar 
  pipes in tube 
  bag 
  carton box 
  pallet 
  new 
  available soon

\* custom-made - lead time max 4 weeks | \*\* availability as agreed | \*\*\* while stock lasts



## Plain end reducer

GROUP: G

| Size [mm]     | *   | Code       |    |     | UM  |
|---------------|-----|------------|----|-----|-----|
| 15 / 12       | *** | 1609220000 | 10 | 200 | pc. |
| 18 / 15       |     | 1609221003 | 10 | 200 | pc. |
| 22 / 15       |     | 1609221023 | 10 | 140 | pc. |
| 22 / 18       |     | 1609221024 | 10 | 120 | pc. |
| 28 / 15       |     | 1609221025 | 10 | 70  | pc. |
| 28 / 18       |     | 1609221007 | 10 | 100 | pc. |
| 28 / 22       |     | 1609221026 | 10 | 80  | pc. |
| 35 / 15       |     | 1609221027 | 5  | 50  | pc. |
| 35 / 18       |     | 1609221028 | 5  | 50  | pc. |
| 35 / 22       |     | 1609221029 | 5  | 50  | pc. |
| 35 / 28       |     | 1609221030 | 5  | 60  | pc. |
| 42 / 15       |     | 1609221031 | 5  | 30  | pc. |
| 42 / 18       |     | 1609221032 | 5  | 30  | pc. |
| 42 / 22       |     | 1609221033 | 4  | 24  | pc. |
| 42 / 28       |     | 1609221034 | 4  | 24  | pc. |
| 42 / 35       |     | 1609221035 | 4  | 24  | pc. |
| 54 / 15       |     | 1609221036 | 4  | 16  | pc. |
| 54 / 18       |     | 1609221037 | 4  | 16  | pc. |
| 54 / 22       |     | 1609221015 | 4  | 16  | pc. |
| 54 / 28       |     | 1609221016 | 4  | 16  | pc. |
| 54 / 35       |     | 1609221038 | 4  | 16  | pc. |
| 54 / 42       |     | 1609221039 | 4  | 16  | pc. |
| 76,1 / 42     |     | 1609221019 | 4  | 12  | pc. |
| 76,1 / 54     |     | 1609221020 | 4  | 32  | pc. |
| 88,9 / 54     |     | 1609221021 | 4  | 24  | pc. |
| 88,9 / 76,1   |     | 1609221022 | 4  | 12  | pc. |
| 108 / 54      |     | 1609221000 | 2  | 2   | pc. |
| 108 / 76,1    |     | 1609221001 | 2  | 2   | pc. |
| 108 / 88,9    |     | 1609221002 | 2  | 10  | pc. |
| 139,7 / 88,9  | **  | 1609221041 | 1  | -   | pc. |
| 139,7 / 108   | **  | 1609221040 | 1  | 1   | pc. |
| 168,3 / 88,9  | **  | 1609221044 | 1  | 1   | pc. |
| 168,3 / 108   | **  | 1609221042 | 1  | 1   | pc. |
| 168,3 / 139,7 | **  | 1609221043 | -  | 1   | pc. |



## Female elbow 90°

GROUP: G

| Size [mm] | * | Code       |    |    | UM  |
|-----------|---|------------|----|----|-----|
| 15 Rp½"   |   | 1609068000 | 10 | 80 | pc. |
| 18 Rp½"   |   | 1609068001 | 10 | 90 | pc. |
| 22 Rp½"   |   | 1609068003 | 10 | 50 | pc. |
| 22 Rp¾"   |   | 1609068002 | 10 | 50 | pc. |
| 28 Rp½"   |   | 1609068009 | 5  | 30 | pc. |
| 28 Rp¾"   |   | 1609068005 | 5  | 30 | pc. |
| 28 Rp1"   |   | 1609068008 | 10 | 30 | pc. |
| 35 Rp½"   |   | 1609068011 | 5  | 10 | pc. |
| 35 Rp¾"   |   | 1609068007 | 5  | 10 | pc. |
| 35 Rp1"   |   | 1609068010 | 5  | 10 | pc. |
| 35 Rp1¼"  |   | 1609068012 | 5  | 10 | pc. |

coil 
 bar 
 pipes in tube 
 bag 
 carton box 
 pallet 
 new 
 available soon

\* custom-made - lead time max 4 weeks | \*\* availability as agreed | \*\*\* while stock lasts

## Female elbow 90° with plain end

GROUP: G

| Size [mm] | * | Code       |  |  | UM  |
|-----------|---|------------|---|---|-----|
| 15 Rp½"   |   | 1609068013 | 10  | 40  | pc. |



## Male elbow 90°



GROUP: G

| Size [mm] | * | Code       |  |  | UM  |
|-----------|---|------------|---|---|-----|
| 15 R½"    |   | 1609070000 | 10  | 80  | pc. |
| 18 R½"    |   | 1609070002 | 10  | 80  | pc. |
| 22 R¾"    |   | 1609070004 | 10  | 60  | pc. |
| 28 R1"    |   | 1609070005 | 10  | 30  | pc. |
| 35 R1¼"   |   | 1609070006 | 5   | 20  | pc. |
| 42 R1½"   |   | 1609070009 | 2   | 16  | pc. |
| 54 R2"    |   | 1609070010 | 2   | 8   | pc. |




## Female tee

GROUP: G

| Size [mm]           | * | Code       |  |  | UM  |
|---------------------|---|------------|---|---|-----|
| 15 Rp½"             |   | 1609257014 | 10  | 70  | pc. |
| 18 Rp½"             |   | 1609257015 | 10  | 50  | pc. |
| 18 Rp¾"             |   | 1609257016 | 10  | 50  | pc. |
| 22 Rp½"             |   | 1609257017 | 10  | 40  | pc. |
| 22 Rp¾"             |   | 1609257018 | 10  | 40  | pc. |
| 28 Rp½"             |   | 1609257038 | 5   | 30  | pc. |
| 28 Rp¾"             |   | 1609257039 | 10  | 30  | pc. |
| 28 Rp1"             |   | 1609257019 | 5   | 30  | pc. |
| 35 Rp½"             |   | 1609257040 | 5   | 20  | pc. |
| 35 Rp¾"             |   | 1609257041 | 5   | 20  | pc. |
| 35 Rp1"             |   | 1609257022 | 5   | 20  | pc. |
| 42 Rp½"             |   | 1609257027 | 4   | 16  | pc. |
| 42 Rp¾"             |   | 1609257042 | 4   | 12  | pc. |
| 42 Rp1"             |   | 1609257026 | 4   | 12  | pc. |
| 54 Rp½"             |   | 1609257031 | 2   | 8   | pc. |
| 54 Rp¾"             |   | 1609257044 | 2   | 8   | pc. |
| 54 Rp1"             |   | 1609257030 | 2   | 8   | pc. |
| 54 Rp2"             |   | 1609257043 | 2   | 6   | pc. |
| 76,1 Rp¾"           |   | 1609257035 | 2   | 12  | pc. |
| 76,1 Rp2"           |   | 1609257034 | 2   | 10  | pc. |
| 88,9 Rp¾"           |   | 1609257037 | 2   | 8   | pc. |
| 88,9 Rp2"           |   | 1609257036 | 2   | -   | pc. |
| 108 Rp¾"            |   | 1609257013 | 2   | 6   | pc. |
| 108 Rp2"            |   | 1609257012 | 2   | 6   | pc. |
| <b>N</b> 139,7 Rp¾" | * | 1609257063 | -   | 1   | pc. |
| <b>N</b> 139,7 Rp2" | * | 1609257064 | -   | 1   | pc. |






### Female directly fixed wallplate elbow - L = 41 mm

GROUP: G

| Size [mm]             | * | Code       |    |    | UM  |
|-----------------------|---|------------|----|----|-----|
| 15 Rp $\frac{1}{2}$ " |   | 1609285009 | 10 | 90 | pc. |

**Note:**  
B = 28 mm.




### Female directly fixed wallplate elbow - L = 44 mm

GROUP: G

| Size [mm]             | * | Code       |    |    | UM  |
|-----------------------|---|------------|----|----|-----|
| 18 Rp $\frac{1}{2}$ " |   | 1609285002 | 10 | 80 | pc. |

**Note:**  
B = 28 mm.



### Female directly fixed wallplate elbow - L = 52 mm

GROUP: G

| Size [mm]             | * | Code       |    |    | UM  |
|-----------------------|---|------------|----|----|-----|
| 22 Rp $\frac{3}{4}$ " |   | 1609285003 | 10 | 50 | pc. |

**Note:**  
B = 33 mm.



### Female directly fixed wallplate elbow - L = 63 mm

GROUP: G

| Size [mm]             | * | Code       |    |    | UM  |
|-----------------------|---|------------|----|----|-----|
| 15 Rp $\frac{1}{2}$ " |   | 1609285004 | 20 | 40 | pc. |
| 18 Rp $\frac{1}{2}$ " |   | 1609285007 | 20 | 40 | pc. |

**Note:**  
1609285004: Size B = 28 mm.  
1609285007: Size B = 28 mm.



### Female directly fixed wallplate elbow - L = 64 mm

GROUP: G

| Size [mm]             | * | Code       |    |    | UM  |
|-----------------------|---|------------|----|----|-----|
| 22 Rp $\frac{3}{4}$ " |   | 1609285008 | 10 | 40 | pc. |

**Note:**  
Size B = 33 mm.

## Axial compensator

GROUP: G

|   | Size [mm] | * | Code       |  |  | UM  |
|---|-----------|---|------------|---|---|-----|
| N | 15        |   | 1609037002 | 10  | 60  | pc. |
| N | 18        |   | 1609037004 | 10  | 60  | pc. |
| N | 22        |   | 1609037005 | 5   | 30  | pc. |
| N | 28        |   | 1609037007 | 5   | 20  | pc. |
| N | 35        |   | 1609037008 | 4   | 16  | pc. |
| N | 42        |   | 1609037010 | 2   | 6   | pc. |
| N | 54        |   | 1609037011 | 1   | 4   | pc. |



**Note:**

The warranty is provided for 1000 cycles of operation when used as intended.  
The axial compensator is suitable only for absorbing axial movements of the pipeline.



## Axial compensator

GROUP: G

|   | Size [mm] | * | Code       |  |  | UM  |
|---|-----------|---|------------|---|---|-----|
| N | 76,1      |   | 1609037013 | 2   | 8   | pc. |
| N | 88,9      |   | 1609037014 | 2   | 4   | pc. |
| N | 108       |   | 1609037000 | 2   | 6   | pc. |


**Note:**

The warranty is provided for 1000 cycles of operation when used as intended.  
The axial compensator is suitable only for absorbing axial movements of the pipeline.



## Crossover



GROUP: G

|  | Size [mm] | * | Code       |  |  | UM  |
|--|-----------|---|------------|---|---|-----|
|  | 15        |   | 1609178000 | 10  | 80  | pc. |
|  | 18        |   | 1609178001 | 10  | 50  | pc. |
|  | 22        |   | 1609178002 | 10  | 50  | pc. |
|  | 28        |   | 1609178003 | 10  | 20  | pc. |



## Bend 15°


GROUP: G

|  | Size [mm] | * | Code       |  |  | UM  |
|--|-----------|---|------------|---|---|-----|
|  | 28        |   | 1609011002 | 10  | 40  | pc. |
|  | 35        |   | 1609011003 | 5   | 15  | pc. |
|  | 42        |   | 1609011004 | 2   | 20  | pc. |
|  | 54        |   | 1609011005 | 1   | 6   | pc. |



## Bend 30°

GROUP: G

|  | Size [mm] | * | Code       |  |  | UM  |
|--|-----------|---|------------|---|---|-----|
|  | 28        |   | 1609011009 | 10  | 40  | pc. |
|  | 35        |   | 1609011008 | 4   | 12  | pc. |
|  | 42        |   | 1609011010 | 2   | 20  | pc. |
|  | 54        |   | 1609011011 | 1   | 8   | pc. |





### Bend 60°

GROUP: G

| Size [mm] | * | Code       |   |    | UM  |
|-----------|---|------------|---|----|-----|
| 28        |   | 1609011014 | 5 | 30 | pc. |
| 35        |   | 1609011015 | 4 | 12 | pc. |
| 42        |   | 1609011016 | 5 | 20 | pc. |
| 54        |   | 1609011017 | 2 | 6  | pc. |



### Bend 90°

GROUP: G

| Size [mm] | * | Code       |    |    | UM  |
|-----------|---|------------|----|----|-----|
| 15        |   | 1609011018 | 10 | 70 | pc. |
| 18        |   | 1609011019 | 10 | 50 | pc. |
| 22        |   | 1609011025 | 2  | 4  | pc. |
| 28        |   | 1609011026 | 5  | 20 | pc. |
| 35        |   | 1609011027 | 1  | 8  | pc. |
| 42        |   | 1609011028 | 2  | 4  | pc. |
| 54        |   | 1609011029 | 2  | 10 | pc. |



### Stop end

GROUP: G

| Size [mm] | * | Code       |    |     | UM  |
|-----------|---|------------|----|-----|-----|
| 15        |   | 1609250002 | 20 | 80  | pc. |
| 18        |   | 1609250004 | 20 | 300 | pc. |
| 22        |   | 1609250006 | 10 | 150 | pc. |
| 28        |   | 1609250020 | 10 | 130 | pc. |
| 35        |   | 1609250010 | 5  | 75  | pc. |
| 42        |   | 1609250012 | 4  | 48  | pc. |
| 54        |   | 1609250021 | 1  | 24  | pc. |
| 76,1      |   | 1609250016 | 2  | 4   | pc. |
| 88,9      |   | 1609250018 | 2  | 4   | pc. |
| 108       |   | 1609250000 | 2  | 4   | pc. |



### Ball valve

GROUP: G

| Size [mm] | * | Code       |   |    | UM  |
|-----------|---|------------|---|----|-----|
| N 15      |   | 1609278000 | 1 | 25 | pc. |
| N 18      |   | 1609278001 | 1 | 25 | pc. |
| N 22      |   | 1609278002 | 1 | 15 | pc. |
| N 28      |   | 1609278003 | 1 | 10 | pc. |
| N 35      |   | 1609278004 | 1 | 10 | pc. |
| N 42      |   | 1609278005 | 1 | 7  | pc. |
| N 54      |   | 1609278006 | 1 | 5  | pc. |

The ball is made of stainless steel 1.4401.  
Max working pressure 16 bar.  
Warranty for 5 years.

## Ball valve with female half union with flat sealing

GROUP: G



|          | Size [mm] | * | Code              |  |  | UM  |
|----------|-----------|---|-------------------|---|---|-----|
| <b>N</b> | 15 G¾"    |   | <b>1609278007</b> | 1   | 25  | pc. |
| <b>N</b> | 18 G¾"    |   | <b>1609278008</b> | 1   | 25  | pc. |
| <b>N</b> | 22 G¾"    |   | <b>1609278009</b> | 1   | 15  | pc. |
| <b>N</b> | 28 G1¼"   |   | <b>1609278010</b> | 1   | 10  | pc. |
| <b>N</b> | 35 G1½"   |   | <b>1609278011</b> | 1   | 10  | pc. |
| <b>N</b> | 42 G1¾"   |   | <b>1609278012</b> | 1   | 7   | pc. |
| <b>N</b> | 54 G2¼"   |   | <b>1609278013</b> | 1   | 5   | pc. |

The ball is made of stainless steel 1.4401.  
Max working pressure 16 bar.  
Warranty for 5 years.



## Flange adapter

GROUP: G


|  | Size [mm] | * | Code              |  |  | UM  |
|--|-----------|---|-------------------|---|---|-----|
|  | 15 1⅝"    |   | <b>1609090001</b> | 20  | 100   | pc. |
|  | 15 1½"    |   | <b>1609090000</b> | 20  | 100   | pc. |
|  | 18 1¼"    |   | <b>1609090011</b> | 20  | 100   | pc. |
|  | 18 1½"    |   | <b>1609090010</b> | 20  | 100   | pc. |
|  | 22 1¼"    |   | <b>1609090005</b> | 20  | 100   | pc. |
|  | 22 1½"    |   | <b>1609090004</b> | 20  | 80  | pc. |
|  | 28 1½"    |   | <b>1609090006</b> | 20  | 80  | pc. |
|  | 35 2"     |   | <b>1609090007</b> | 10  | 30  | pc. |
|  | 42 2¼"    |   | <b>1609090008</b> | 10  | 30  | pc. |
|  | 54 2¾"    |   | <b>1609090012</b> | 5   | 20  | pc. |



 coil  bar  pipes in tube  bag  carton box  pallet **N** new  available soon

\* custom-made - lead time max 4 weeks | \*\* availability as agreed | \*\*\* while stock lasts






### Flange PN16

GROUP: G

| Size [mm] | * | Code       |   |    | UM  |
|-----------|---|------------|---|----|-----|
| 15 DN15   |   | 1609091004 | 1 | 15 | pc. |
| 18 DN15   |   | 1609091005 | 1 | 15 | pc. |
| 22 DN20   |   | 1609091006 | 1 | 12 | pc. |
| 28 DN25   |   | 1609091007 | 1 | 12 | pc. |
| 35 DN32   |   | 1609091001 | 1 | 6  | pc. |
| 42 DN40   |   | 1609091008 | 1 | 4  | pc. |
| 54 DN50   |   | 1609091009 | 1 | 2  | pc. |
| 76,1 DN65 |   | 1609091002 | 1 | 2  | pc. |
| 88,9 DN80 |   | 1609091003 | 1 | 2  | pc. |
| 108 DN100 |   | 1609091000 | 1 | 2  | pc. |

**Note:**  
Complete the flat gasket yourself.

| Code       | d1   | l1  | l2 | z1 | k2  | D2  | d2-2 | n2 |
|------------|------|-----|----|----|-----|-----|------|----|
| 1609091004 | 15   | 43  | 13 | 23 | 65  | 95  | 14   | 4  |
| 1609091005 | 18   | 44  | 13 | 24 | 65  | 95  | 14   | 4  |
| 1609091006 | 22   | 45  | 14 | 24 | 75  | 105 | 14   | 4  |
| 1609091007 | 28   | 49  | 16 | 26 | 85  | 115 | 14   | 4  |
| 1609091001 | 35   | 51  | 17 | 26 | 100 | 140 | 18   | 4  |
| 1609091008 | 42   | 59  | 18 | 29 | 110 | 150 | 18   | 4  |
| 1609091009 | 54   | 69  | 18 | 34 | 125 | 165 | 18   | 4  |
| 1609091002 | 76,1 | 108 | 18 | 53 | 145 | 185 | 18   | 4  |
| 1609091003 | 88,9 | 127 | 20 | 64 | 160 | 200 | 18   | 8  |
| 1609091000 | 108  | 147 | 20 | 70 | 180 | 220 | 18   | 8  |



### Flange PN16

GROUP: G

| Size [mm]   | *  | Code       |   | UM  |
|-------------|----|------------|---|-----|
| 139,7 DN125 | ** | 1609091010 | 1 | pc. |
| 168,3 DN150 | ** | 1609091011 | 1 | pc. |

**Note:**  
Complete the flat gasket yourself.

| Code       | D   | k   | b  | d2 | h   | z  | n2 |
|------------|-----|-----|----|----|-----|----|----|
| 1609091010 | 250 | 210 | 22 | 18 | 138 | 41 | 8  |
| 1609091011 | 285 | 240 | 24 | 22 | 171 | 54 | 8  |

## Accessories

### Plastic plug for pipe transport



GROUP: I

|   | Size [mm] | * | Code       |  | UM  |
|---|-----------|---|------------|---|-----|
| N | 15        |   | 2141183000 | 2000  | pc. |
| N | 18        |   | 2141183001 | 2000  | pc. |
| N | 22        |   | 2141183002 | 2000  | pc. |
| N | 28        |   | 2141183003 | 2000  | pc. |
| N | 35        |   | 2141183004 | 2000  | pc. |
| N | 42        |   | 2141183005 | 1000  | pc. |
| N | 54        |   | 2141183006 | 500   | pc. |



### O-Ring LBP EPDM Steel/Inox

GROUP: I

|  | Size [mm] | * | Code       |  |  | UM  |
|--|-----------|---|------------|---|---|-----|
|  | 12        | * | 1509182021 | 20  | 1000  | pc. |
|  | 15        |   | 1509182022 | 20  | 600   | pc. |
|  | 18        |   | 1509182023 | 20  | 500   | pc. |
|  | 22        |   | 1509182024 | 20  | 500   | pc. |
|  | 28        |   | 1509182025 | 20  | 400   | pc. |
|  | 35        |   | 1509182026 | 20  | 400   | pc. |
|  | 42        |   | 1509182027 | 20  | 300   | pc. |
|  | 54        |   | 1509182028 | 20  | 300   | pc. |



**Note:**

LBP EPDM O-Rings can be used in KAN-therm Steel and Inox systems.

### O-Ring LBP FPM Viton Steel/Inox

GROUP: I

|  | Size [mm] | * | Code       |  |  | UM  |
|--|-----------|---|------------|---|---|-----|
|  | 15        |   | 1509182030 | 20  | 600   | pc. |
|  | 18        |   | 1509182029 | 20  | 500   | pc. |
|  | 22        |   | 1509182031 | 20  | 500   | pc. |
|  | 28        |   | 1509182032 | 20  | 400   | pc. |
|  | 35        |   | 1509182033 | 20  | 400   | pc. |
|  | 42        |   | 1509182034 | 20  | 300   | pc. |
|  | 54        |   | 1509182035 | 20  | 300   | pc. |



**Note:**

LBP FPM/Viton O-Rings can be used in KAN-therm Steel and Inox systems.  
Do not use in hot water installations.

### O-Ring EPDM Steel/Inox

GROUP: I

|  | Size [mm] | * | Code       |  |  | UM  |
|--|-----------|---|------------|---|---|-----|
|  | 76,1      |   | 1609182023 | 5   | 100   | pc. |
|  | 88,9      |   | 1609182024 | 5   | 100   | pc. |
|  | 108       |   | 1609182025 | 5   | 50  | pc. |
|  | 139,7     |   | 1609182016 | -   | 1   | pc. |
|  | 168,3     |   | 1609182017 | -   | 1   | pc. |




**Note:**

EPDM O-Rings 76,1-108 can be used in KAN-therm Steel and Inox systems.  
O-Ring 66,7 is used for KAN-therm Steel fittings only.

 coil  bar  pipes in tube  bag  carton box  pallet **N** new **i** available soon

\* custom-made - lead time max 4 weeks | \*\* availability as agreed | \*\*\* while stock lasts



### O-Ring FPM Viton Steel/Inox

**GROUP: I**

| Size [mm] | *  | Code              |   |     | UM  |
|-----------|----|-------------------|---|-----|-----|
| 76,1      |    | <b>1609182020</b> | 5 | 100 | pc. |
| 88,9      |    | <b>1609182021</b> | 5 | 100 | pc. |
| 108       |    | <b>1609182022</b> | 5 | 50  | pc. |
| 139,7     | ** | <b>1609182018</b> | - | 1   | pc. |
| 168,3     | ** | <b>1609182019</b> | - | 1   | pc. |

**Note:**

LBP EPDM O-Rings 76,1-108 can be used in KAN-therm Steel and Inox systems.  
 O-Ring 66,7 is only used for Steel connector.  
 Do not use in hot water installations.



### Flat gasket FPM Viton Steel/Inox

**GROUP: I**

| Size [mm] | * | Code              |    |     | UM  |
|-----------|---|-------------------|----|-----|-----|
| 15-18     |   | <b>1509237000</b> | 20 | 500 | pc. |
| 22        |   | <b>1509237001</b> | 20 | 500 | pc. |
| 28        |   | <b>1509237002</b> | 20 | 400 | pc. |
| 35        |   | <b>1509237003</b> | 20 | 400 | pc. |
| 42        |   | <b>1509237004</b> | 20 | 300 | pc. |
| 54        |   | <b>1509237005</b> | 20 | 300 | pc. |


**Note:**

Gasket for unions and half unions of KAN-therm Steel and Inox systems.  
 Do not use in hot water installations.

## Tools

### Roller cutter for pipes REMS RAS St


GROUP: K

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 12-54      |   | 1948267025 | 1   | pc. |
| 35-108     |   | 1948267027 | 1   | pc. |



### Cutting wheel for roller cutter REMS St

GROUP: K

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 12-108     |   | 1941267037 | 1   | pc. |


**Note:**  
Intended for roller cutters, codes: 1948267025, 1948267027.



### Roller cutter for pipes REMS RAS Mini S

GROUP: K

N

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 12-28      |   | 1900267003 | 1   | pc. |


**Note:**  
The set includes a cutting wheel.



### Roller cutter for pipes REMS RAS S

GROUP: K

N

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 12-35      |   | 1900267001 | 1   | pc. |


**Note:**  
The set includes a cutting wheel.



### Cutting wheel for roller cutter REMS RAS

GROUP: K

N

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 12-35      |   | 1900267002 | 1   | pc. |


**Note:**  
Intended for roller cutters, codes: 1900267003, 1900267001.



### Cordless pipe cutter REMS Akku-Nano

GROUP: K

N

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 12-35      |   | 1948183003 | 1   | pc. |

**Note:**  
The set includes a cutting wheel.



 coil  bar  pipes in tube  bag  carton box  pallet **N** new  available soon

\* custom-made - lead time max 4 weeks | \*\* availability as agreed | \*\*\* while stock lasts



### Cutting wheel for roller cutter REMS Nano

GROUP: K

| Range [mm] | * | Code       |   | UM  |
|------------|---|------------|---|-----|
| 12-35      |   | 1978267000 | 1 | pc. |

**Note:**  
Intended for cordless roller cutter code 1948183003.



### Pipe cutting machine REMS Cento

GROUP: K

| Range [mm] | * | Code       |   | UM  |
|------------|---|------------|---|-----|
| 22-108     |   | 1948183001 | 1 | pc. |

**Note:**  
The set includes a cutting wheel.



### Pipe cutting machine REMS DueCento

GROUP: K

| Range [mm] | * | Code       |   | UM  |
|------------|---|------------|---|-----|
| 54-168,3   |   | 1948267034 | 1 | pc. |

**Note:**  
The set does not include a cutting wheel.  
In operating range 54-108, use additional guide rollers with code 1900267000.  
Guide rollers must be purchased separately.



### Cutting wheel for pipe cutting machine REMS Cento/DueCento

GROUP: K

| Range [mm] | * | Code       |   | UM  |
|------------|---|------------|---|-----|
| 22-168,3   |   | 1941267041 | 1 | pc. |

Intended for pipe cutting machines, codes: 1948183001, 1948267034.



### Guide roller insert for pipe cutting REMS DueCento

GROUP: K

| Range [mm] | * | Code       |   | UM  |
|------------|---|------------|---|-----|
| 54-108     |   | 1900267000 | 1 | pc. |

**Note:**  
Intended for pipe cutting machine, code: 1948267034.



### Pipe support for cutting machine REMS Cento

GROUP: K

|  | * | Code       |   | UM  |
|--|---|------------|---|-----|
|  |   | 1948267029 | 1 | pc. |

coil bar pipes in tube bag carton box pallet **N** new available soon

\* custom-made - lead time max 4 weeks | \*\* availability as agreed | \*\*\* while stock lasts

## Deburrer for metal pipes REMS REG

GROUP: K

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 12-54      |   | 1948267015 | 1   | pc. |



## Tool set - deburrer and roller cutter

GROUP: K

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 12-54      | * | 1948267023 | 1   | set |


Each set includes:

- 1948267025 - roller cutter for pipes 12-54 mm,
- 1948267015 - deburrer for pipes 12-54 mm,
- 1941267129 - case.



## Tool set - KAN-therm Mini battery press tool + "M" profile jaws

GROUP: K

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 15-28      |   | 1936055009 | 1   | pc. |


Each set includes:

- 1936055008 - KAN-therm Mini press tool - 1 pc.,
- 1936267278 - jaws SBM M15 - 1 pc.,
- 1936267279 - jaws SBM M18 - 1 pc.,
- 1936267280 - jaws SBM M22 - 1 pc.,
- 1936267282 - jaws SBM M28 - 1 pc.,
- 1967267051 - battery RAML1225 Li-Ion 10,8 V 2,5 Ah - 2 pcs.,
- 1967267024 - charger LGML1 ~230 V 35 W - 1 pc.,
- case - 1 pc.



## KAN-therm AC 3000 electric press tool

GROUP: K

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 12-54      |   | 1936267239 | 1   | pc. |


Note:

The press tool is sold in a case.



## KAN-therm DC 4000 battery press tool

GROUP: K

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 12-54      |   | 1936267238 | 1   | pc. |

Note:

The press tool is sold with a battery, charger and case.



## Charger for KAN-therm DC 4000 battery press tool

GROUP: K

| Version   | * | Code       |  | UM  |
|-----------|---|------------|---|-----|
| 10,8-36 V |   | 1936267267 | 1   | pc. |



 coil  bar  pipes in tube  bag  carton box  pallet **N** new  available soon

\* custom-made - lead time max 4 weeks | \*\* availability as agreed | \*\*\* while stock lasts



### Battery for KAN-therm DC 4000 press tool

GROUP: K

| Version     | * | Code       |   | UM  |
|-------------|---|------------|---|-----|
| 18 V / 4 Ah |   | 1936267266 | 1 | pc. |



### KAN-therm "M" profile press jaws

GROUP: K

| Size [mm] | * | Code       |   | UM  |
|-----------|---|------------|---|-----|
| 15        |   | 1936267249 | 1 | pc. |
| 18        |   | 1936267250 | 1 | pc. |
| 22        |   | 1936267251 | 1 | pc. |
| 28        |   | 1936267252 | 1 | pc. |
| 35        |   | 1936267253 | 1 | pc. |

**Note:**  
The jaws work with KAN-therm: AC 3000, DC 4000 drives.



### KAN-therm "M" profile collar

GROUP: K

| Size [mm] | * | Code       |   | UM  |
|-----------|---|------------|---|-----|
| 42        |   | 1936267283 | 1 | pc. |
| 54        |   | 1936267284 | 1 | pc. |

**Note:**  
Use KAN-therm "M" profile collar jaws with KAN-therm ZBS1 adapter for KAN-therm press tools, AC 3000, DC 4000.



### ZBS1 adapter for KAN-therm "M" profile collar jaws

GROUP: K

| Size [mm] | * | Code       |   | UM  |
|-----------|---|------------|---|-----|
| 42 - 54   |   | 1936267285 | 1 | pc. |

**Note:**  
Use KAN-therm "M" profile collar jaws with KAN-therm ZBS1 adapter for KAN-therm press tools: AC 3000, DC 4000.



### REMS Power-Press ACC electric press tool

GROUP: K

| Range [mm] | * | Code       |   | UM  |
|------------|---|------------|---|-----|
| 12-54      |   | 1936267219 | 1 | pc. |

**Note:**  
The press tool is sold with a case.  
The set does not include jaws.



### REMS Power-Press SE Basic Pack electric press tool

GROUP: K

| Range [mm] | * | Code       |   | UM  |
|------------|---|------------|---|-----|
| 12-54      |   | 1936267160 | 1 | pc. |

**Note:**  
The press tool is sold with a case.  
The set does not include jaws.



## REMS Akku Press battery press tool

GROUP: K

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 12-54      |   | 1936267152 | 1   | pc. |

**Note:**

The press tool is sold with a battery, charger and case.  
The set does not include jaws.



## REMS "M" profile press jaws

GROUP: K

| Size [mm] | * | Code       |  | UM  |
|-----------|---|------------|---|-----|
| 12        |   | 1948267046 | 1   | pc. |
| 15        |   | 1948267048 | 1   | pc. |
| 18        |   | 1948267052 | 1   | pc. |
| 22        |   | 1948267056 | 1   | pc. |
| 28        |   | 1948267061 | 1   | pc. |
| 35        |   | 1948267065 | 1   | pc. |
| 42        |   | 1948267067 | 1   | pc. |
| 54        |   | 1948267069 | 1   | pc. |


**Note:**

The jaws work with Power-Press SE, Akku-Press, Power-Press ACC drives.



## Set of REMS "M" profile press jaws

GROUP: K

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 42-54      |   | 1948267130 | 1   | set |

Each set includes:


- 1948267067 - jaws "M" to diameter 42 mm,
- 1948267069 - jaws "M" to diameter 54 mm,
- case.

Jaws work with Power-Press SE, Akku-Press, Power-Press ACC drives.



## REMS tool set - electric Power-Press SE press tool and "M" profile jaws

GROUP: K

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 15-35      |   | 1948267033 | 1   | set |


Each set includes:

- 1936267160 - electric press tool REMS Power-Press SE,
- 1948267048 - jaws "M" to diameter 15 mm,
- 1948267052 - jaws "M" to diameter 18 mm,
- 1948267056 - jaws "M" to diameter 22 mm,
- 1948267061 - jaws "M" to diameter 28 mm,
- 1948267065 - jaws "M" to diameter 35 mm,
- case.



## Novopress tool set - ACO103 BT battery press tool + "M" profile jaws

GROUP: K

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 15-28      | * | 1948055008 | 1   | pc. |

Each set includes:

- battery press tool - 1 pc.,
- 1948267093 - jaws M15 for press tool - 1 pc.,
- 1948267095 - jaws M18 for press tool - 1 pc.,
- 1942121002 - jaws M22 for press tool - 1 pc.,
- 1948267097 - jaws M28 for press tool - 1 pc.,
- 1938267047 - charger - 1 pc.,
- 1938267002 - battery 2 Ah - 2 pcs.,
- case.





### Novopress EFP203 electric press tool

GROUP: K

| Range [mm] | * | Code       |   | UM  |
|------------|---|------------|---|-----|
| 12-54      |   | 1948267210 | 1 | pc. |

**Note:**  
The press tool is sold with a plastic case.



### Novopress ACO203XL BT press tool

GROUP: K

| Range [mm] | * | Code       |   | UM  |
|------------|---|------------|---|-----|
| 12-108     |   | 1948267181 | 1 | pc. |

Each set includes:  
 ■ battery press tool - 1 pc.,  
 ■ battery 18 V / 5.0 Ah Li-Ion Milwaukee - 2 pcs.,  
 ■ charger - 1 pc.,  
 ■ lubricant - 1 pc.,  
 ■ plastic case.



### Novopress PB2 "M" profile press jaws

GROUP: K

| Size [mm] | * | Code       |   | UM  |
|-----------|---|------------|---|-----|
| 12        |   | 1948267134 | 1 | pc. |
| 15        |   | 1948267135 | 1 | pc. |
| 18        |   | 1948267137 | 1 | pc. |
| 22        |   | 1948267139 | 1 | pc. |
| 28        |   | 1948267141 | 1 | pc. |
| 35        |   | 1948267143 | 1 | pc. |

**Note:**  
The jaws work with EFP203 and ACO203XL drives.



### Novopress "M" profile Snap On collar


GROUP: K

| Size [mm] | * | Code       |   | UM  |
|-----------|---|------------|---|-----|
| 42        |   | 1948267119 | 1 | pc. |
| 54        |   | 1948267121 | 1 | pc. |
| 66,7      | * | 1948267089 | 1 | pc. |
| 76,1      |   | 1948267145 | 1 | pc. |
| 88,9      |   | 1948267044 | 1 | pc. |
| 108       |   | 1948267038 | 1 | pc. |

**Note:**  
 Use jaws for diameters 42 and 54 mm with adapter ZB203 for ACO203XL.  
 Use jaws for diameters 66,7, 76,1 and 88,9 mm with adapter ZB221 for ACO203XL.  
 Use the jaw with a diameter of 66,7 mm with adapter ZB323 for ECO301.  
 Use the jaw with a diameter of 108 mm with adapter ZB221 and ZB222 for ACO203XL.

## HP Snap On collar for Novopress ECO301, ACO203XL, EFP203

GROUP: K

| Size [mm] | * | Code       |  | UM  |
|-----------|---|------------|---|-----|
| 35        | * | 1948267124 | 1   | pc. |
| 42        | * | 1948267126 | 1   | pc. |
| 54        | * | 1948267128 | 1   | pc. |

**Note:**

Jaws for diameters 35-54 mm with ECO301 press tool use with ZB303 adapter.


Jaws for diameters 35-54 mm with ACO203XL and EFP203 crimping tool use with ZB203 adapter.

Do not use jaw 54 mm with the ACO203XL and EFP203 crimping tool to join KAN-therm Inox system pipes (1.4404 and 1.4521) with a diameter of 54 mm.



## Novopress ZB203 adapter

GROUP: K

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 35-54      |   | 1948267000 | 1   | pc. |

**Note:**

Adapter for EFP203 and ACO203XL drives.

ultraPRESS: 50-63 mm.


Steel & Inox: 35-54 mm.

Copper: 42-54 mm.



## Novopress ZB221 Adapter

GROUP: K

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 66,7-108   |   | 1948267005 | 1   | pc. |

**Note:**

Adapter for ACO203XL drive.

For a diameter of 108 mm, adapter ZB221 is used to make the first crimp, and adapter ZB222 for the second crimp.



## Novopress ZB222 Adpater

GROUP: K

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 66,7-108   |   | 1948267007 | 1   | pc. |

**Note:**


Adapter for ACO203XL drive.

For a diameter of 108 mm, adapter ZB221 is used to make the first crimp, and adapter ZB222 for the second crimp.



## Novopress ACO403 battery press tool

GROUP: K

| Range [mm] | * | Code       |  | UM  |
|------------|---|------------|---|-----|
| 76,1-168,3 |   | 1948267209 | 1   | pc. |

Each set includes:

- battery press tool - 1 pc.,
- battery 18 V / 5.0 Ah Li-Ion Milwaukee - 2 pcs.,
- charger - 1 pc.,
- lubricant - 1 pc.,
- plastic case.





## Novopress "M" profile HP collar


**GROUP: K**

| Size [mm] | * | Code              |  | UM  |
|-----------|---|-------------------|---|-----|
| 76,1      | * | <b>1948267100</b> | 1   | pc. |
| 88,9      | * | <b>1948267102</b> | 1   | pc. |
| 108       | * | <b>1948267098</b> | 1   | pc. |
| 139,7     |   | <b>1948267071</b> | 1   | pc. |
| 168,3     |   | <b>1948267072</b> | 1   | pc. |

**Note:**

The jaws work with ACO401 and ACO403 drives.

# NOTES



 coil  bar  pipes in tube  bag  carton box  pallet **N** new  available soon

\* custom-made - lead time max 4 weeks | \*\* availability as agreed | \*\*\* while stock lasts

Complete multipurpose installation system consisting of state-of-the-art, mutually complementary technical solutions for pipe water distribution installations, heating installations, as well as technological and fire extinguishing installations.

ultra**LINE**

ultra**PRESS**

**PP**

**Steel**

**Inox**

**Groove**

**Copper, Copper Gas**

**XPress Sprinkler**

**Surface heating and cooling,  
automation**

**Football  
Stadium installations**

**Cabinets  
and manifolds**

